



**DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES
DIVISION OF ENVIRONMENTAL HEALTH
CHILD CARE FACILITY
INSPECTION REPORT**

REASON		GRADE 2	Inspection Date: 6/13/18		ESTABLISHMENT NAME: NEW CHILDREN WORLD LEARNING & DEVELOPMENT CENTER	
Regular	<input checked="" type="checkbox"/>		Time In/Out: 9:30 AM 10:35 AM		OWNER/OPERATOR: UNSAY, MARIA ZENaida A	
Follow-Up	<input type="checkbox"/>		Sanitary Permit No.: 20000-17000170		LOCATION: 240 REDONO CATAN ST, DEDEDO	
Complaint	<input type="checkbox"/>		RATING A		Establishment Type: CCC / NURSERY	
Investigation	<input type="checkbox"/>		PERMIT STATUS: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Temporary <input type="checkbox"/> Expired			
Other:	<input type="checkbox"/>			No. of Children: 23 Male 12 Female 35 Total		Child Care License: No. 160107 <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Provisional <input type="checkbox"/> Expired

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal a written request for hearing must be submitted before the indicated correction date.

ITEM*	REMARKS	DEMERIT	CORRECT BY
	A REGULAR INSPECTION WAS CONDUCTED. PREVIOUS INSPECTION CONDUCTED 3/15/18 (2,A).		
	THE FOLLOWING REPEAT VIOLATIONS WERE OBSERVED:		
#17	FAUCET HANDLE IN HALLWAY RESTROOM IN DISREPAIR (HOT WATER HANDLE). ALL EQUIPMENT SHALL BE KEPT IN GOOD REPAIR TO ALLOW HOT WATER FOR PROPER HANDWASH HYGIENE. PHOTOS TAKEN.	2	7/13/18
	FAILURE TO COMPLY WITH ANY NOTICE ISSUED IN ACCORDANCE WITH THE PROVISIONS OF ANY APPLICABLE LAWS, RULES, OR REGULATIONS MAY RESULT IN PERMIT SUSPENSION OR DOWNGRADING PER 10 GCA CHAPTER 21.S.21107(3).		
	"A" PLACARD # 02335 ISSUED.		
	PIC BRIEFED ON ABOVE.		

I have read and understand the above violation(s) and I am aware of the corrective measures to be taken.

*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:
(2), (4), (6), (14), (21), (23), (24), (27), (28), (39) & (40).

Received By (Name & Title):

MARIA ZENaida A. UNSAY

DEH Inspector (Name & Title):

J. GARCIA EPHO